

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L23	5	(((((contact\$3 through) adj hole) near6 resistance) with (ohm omega)) and "349"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 15:53
L24	104	(((((contact\$3 through) adj hole) near6 resistance) with (ohm omega))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:00
L25	2	(((((contact\$3 through) adj hole) near10 resist\$4) with ((ohm omega) near2 kilo))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:02
L26	0	(((((contact\$3 through) adj hole) near10 resist\$4) with (ohm omega) with static)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:03
L27	0	(((((contact\$3 through) adj hole) with resist\$4) with (ohm omega) with static)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:04
L28	24	(((((contact\$3 through) adj hole) with resist\$4) with (ohm omega)) and static	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:06
L29	13	349/40.ccls. and ((ohm omega) near10 resist\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:11

EAST Search History

L30	1	349/40.ccls. and ((ohm omega) near10 contact\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:12
L31	17	349/40.ccls. and ((ohm omega) with resist\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:16
L32	2	349/40.ccls. and ((ohm omega) with contact\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:16
L33	22	((contact\$4 near10 resist\$4) with (hole layer) with (ohm omega)) and "349"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:22
L34	3	((contact\$4 near10 hole) with (size area diameter radius) with (ohm omega)) and "349"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:49
L36	3	((((contact\$4 adj hole) near10 (area diameter radius)) with (ITO indium)) and 349/40.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:51
L37	11	((((contact\$4 adj hole) near10 (area diameter radius))) and 349/40.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:56

EAST Search History

L40	34	((contact\$4 adj hole) near10 (area diameter radius dimension)) with resistance) and "349"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 17:06
L41	4	((contact\$4 adj hole) near10 (area diameter radius dimension)) with resistance with ito)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 17:08
L42	4	(resist\$4 and (ohm omega)).clm. and 349/40.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 17:09
L43	3	(resist\$4 with contact\$3).clm. and 349/40.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 17:10
L47	6	((resist\$4 near3 contact\$3) and (ohm omega)).clm. and "349"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 17:12